CLAW/CEW BIM Toolkit for Clients

Client Training and Supplier Awareness Sessions

Monday 22nd September 2014

Swansea



Welcome

Ed Evans

Director of Exemplar and Demonstration Programme



Agenda

CLAW/CEW BIM Toolkit for Clients Client and Supplier Training and Awareness Days Morning session for CLAW members

9.00 Registration (Tea/coffee)

9.15 Welcome and Introduction

9.30 Guide to the Toolkit (interactive session)

o Business Case (15 min) o Procurement (30 min) o EIR (45 min)

11.00 Tea/Coffee
11.15 Case Study
11.45 Facilitated discussion
12.05 Summing up and next steps
12.15 Lunch and Networking









BIM support programme

Your Support Team





Professor Andrew Thomas – co author BIM Strategy, CEx Wales BIM provider, supporting Suppliers and Clients implement, BIM4SME founder, CEx National BIM Working group



John Lorimer – Co Author of BIM strategy, Local Govt liaison officer Presented at CEx Wales and BIM events, Chair BIM academy



Graeme Tappenden – Technical Support and Process expert, Local Govt technical support BIM Task group. Supporting implementation





First morning after Sweden changed from driving on the left side to driving on the right, 1967

Are you ready for BIM 2016?

arrest at all





Need to know and plan 3 things.....

Who

Needs to do What

And When





Who do we need to tell





What do we need to tell them




When do we tell what And.... does "stuff" happen ?







- Business case for BIM
- BIM specific Procurement guidance and tools
- Example Employers Information Requirements
- BIM flyer
- EIR Guidance notes
- BIM and GSL guidance note
- Collaborative Maturity Assessment tools
- Glossary of terms and Acronym key
- Reference points for standards and protocols











BIM for CLAW members

see more – achieve more – waste less

BIM is a revolution in the way our built assets are conceived, designed, built, managed & maintained. This is achieved by a development of traditional methods using digital modelling and structured information management through the whole life of an asset, from identifying the need, to disposal.

The benefits of BIM are now well proven with asset owners and the construction industry deriving significant benefit from its use.

The CLAW BIM Toolkit for Clients has been developed to allow the public sector in Wales to articulate and specify its BIM requirements to its supply chains in a consistent and easily understand the format.

BIM will bring a clearer vision of an authority's built asset estate to all stakeholders and achieve greater utilisation, with greater value at lower cost, and with a reduced risk and environmental impact.

For more information and guidance on how to use the toolkit visit our website: www.cewales.org.uk



http://www.claw.gov.uk/



Headline explanation

Strategic overview

Benefit expectation

Local Government Drivers for BIM

HM Government Construction Strategy mandates BIM for Government Departments.

CEW BIM Task Group recommends adaption of BIM Level 2 by 2016.

Weish Governments adaption of Wales Construction Procurement Strategy including BIM adaption targets.

Significant pressure on capital & revenue budgets.

Pressure to improve asset utilization and asset cost.

Maximisestakeholder engagement, value & benefit

Minimise delivery risk, reserves and maximise outcomes.

Maximise capital & revenue funding potential.

Support leaner sustainability & carbon reduction commitments.

Maintain an efficient asset procurement, design & management capability.

Maintain efficient framework & supply chain relationships.

Improve built asset cost, time, quality and carbon performance.

CLAW BIM Toolkit for Clients is open to all CLAW Authorities who procure or manage built assets as a client.



BIM BENEFITS

Estate Visibility – better information management, better decisions & performance reporting

Stakeholder Engagement – digital modelling results in better, earlier & a more engaged understanding.

Asset Utilisation – better user access, flexibility, managed capaci & agile facility management.

Health & Safety – better management of fire, natural disaster, development & operational health & safety risk.

Environmental Impact – less waste, less energy, better carbon 8 environmental performance.

Quality – improved outcomes, stakeholder satisfaction, operational flexibility & design life performance.

Value & Cost – improved value, efficiency and reduced cost.

Whole Life Asset Management – from inception to disposal, full tractability, design, management, planned & reactive maintenance.

Development Risk – greater certainty of outcome, reduced risk premium, insurances & programme uncertainty.


Project Delivery – shorter development cycles, fewer programme & cost variations.



Business Case

Comprehensive explanation

"languaged " for Chief Officers, Elected Members, and ICT dept heads







Comprehensive explanation

Written appropriately for Chief Officers,

Elected Members,

Dept Leads

and ICT Dept Heads

Case Studies

increasingly CLAW members & projects

CLAWs lead in the BIM All Wales toolkit is transferable to other Public and Private Clients and will enable a clear Welsh Standard for BIM which will reflect additional cost savings and efficiency savings over those being delivered across the UK.

This toolkit supports the delivery of the Welsh Governments Construction Procurement Strategy, efficiency targets and carbon reduction commitments whilst protecting the interests of the indigenous Construction Sector across Wales through a tiered, proportionate and progressive approach.

As with all business change projects, investment will be required to develop the vision, manage the culture change and develop working practices across internal departments and suppliers. Early projects using the new process will be benchmarked by CLAW and CEW to evaluate the anticipated efficiency gains Local Authorities will achieve real benefits from adopting BIM.



Procurement





Procuring and Tendering..... with BIM













CLAW chosen approach in Toolkit

Project Scope Position	Description
BIM Ready	Base position for all projects and where a 3D BIM model is not required or not appropriate and for all in-use supply & install or planned or reactive maintenance contracts. This position enables the client to build BIM readiness across his asset estate by collecting integrated structured data and digital information. All information is published electronically as documents and data in COBie or negotiated format.
BIM Adopter	Interim position with project team developing its BIM skills. It is recognised here that all team members may not be fully Level 2 BIM capable and that formal BIM appointments are not practical. L2 BIM KPI should be assessed prior to project start with an expressed improvement plan in place. For UK Government funded projects this position is transitional and only applicable to projects initiated prior to 2016.
Full BIM	This is the full 'business as usual' BIM capability position with full project team collaborating and sharing to Level 2 BIM standards. End to end collaborative managed 3D BIM is the formal contractual position for all project team members.

3 tiers of Project BIM types Value and complexity

Therefore 3 tiers of Questions In PQQ and ITT expectations





When inviting PQQ's or tenders clients should seek to "set the scene" for prospective partners by explaining, in simple terms, the approach being taken to BIM. It is suggested that the following text be incorporated into relevant documentation.

This project is to be designed within a federated BIM environment and a model shall be maintained throughout the construction period of the project and handed over to the client as part of practical completion as defined in the Employer's Information Requirement (EIR).

Contractors are required to demonstrate that they can design/manage the project collaboratively within the BIM environment. They will be required to work with the Council to agree a set of BIM Standards for this project and develop templates for use by the design team. The BIM Standards will be aligned with BS1192:2007- Collaborative Working, which defines the process for sharing project information efficiently between all members of the project team.

This is a disciplined auditable process that is both transparent and controllable.





Level 1. For Authorities who wish to start integrating BIM into their procurement process and particularly when looking at engaging with SMEs and local providers it may be helpful to start with two simple questions.

- How will you support our desire to adopt Level 2 Building Information Modelling with collaborative 3d working across the design and project team from an early stage to project close out?
- Please provide evidence to support your response.



Download questions here



Level 2. The preferred approach is to use the questions contained within PAS 91 - they can be used with any PQQ. The scoring matrix will also provide a consistent base from which to evaluate the suppliers throughout Wales. The questions can also be used at ITT stage.

Download questions here





Capability to Deliver PAS91:2013



- ➔ Drafted with a view to the 2016 mandate
- ➔ Tests BIM and collaborative working competencies
- ➔ Future certification route (not currently available)
- ④ Initially an open attitude is enough





PAS91:2013 Table 8 Questions

Key Attribute		Range	of Scores	
	Poor (0)	Adequate (1)	Good (2)	Excellent (3)
O4 – Q1 Working in a common data environment (CDE)	No understanding of data management issues and no methodology in place	Some understanding of issues with evidence of enterprise-specific standards	Good understanding of issues supported by evidence of project-wide standards	Through understanding with clear evidence of experience and success in the managed application of CDE
Working at Level 2 BIM	No understanding of issues and no BIM systems or methodology in place	Some understanding of issues and evidence of capability. Limited evidence of ability to exchange BIM data	Good understanding of issues, with capability and systems in place for BIM-enabled working. Some evidence of file- based collaboration.	Thorough understanding of issues with systems and methodology in place. Ability to evidence experience and success in data exchange using BIM
Evidence of planned BIM delivery	No understanding of issues and no plans or methodologies in place	Some understanding of issues and awareness of BIM delivery planning	Good understanding of issues. Ability to demonstrate formal enterprise-specific BIM delivery planning	Thorough understanding of issues including evidence of planning of project-wide BIM delivery
Evidence of BIM training	No evidence of awareness of training need	Evidence of application-specific training	Evidence of enterprise-wide training assessment and planning	Evidence of project specific capability assessment and training planning



PAS91:2013 Table 8 Questions

Key Attribute		Range	of Scores	
	Poor (0)	Adequate (1)	Good (2)	Excellent (3)
O4 – Q1 Working in a	Newsdamtending	Come	Conducatentest	These is a
Working in a Common	🕤 Target: Clear evid	lence of experience a	nd success in the man	aged application
Data Environment	of a Common Da	ta Environment (CDE)		
	place	standards		managed application of CDE
Working at Level 2 BIM		& methodology in plac data exchange using E	ce with evidence of ex BIM	perience and
		data	based collaboration.	exchange using BIM
Evidence of planned BIM delivery	Target: Evidence	of project wide BIM o	delivery	Ø
Evidence of BIM training	Target: Evidence	of project specific cap	oability assessment an	id training





KPI	BIM Team Capability Working Practices	BIM Ready	BIM Adopter	Full BIM
во	No BIM - Not assessed or no working practices B1- B9			
B1	Electronic File Based Information Publishing (Agreed Formats)	a	a	a
B2	Discipline Based Model Authoring & Visualisation		a	a
B3	Collaborative Working (Full Design Team) (PAS1192-2)		a	a
B4	Collaborative Working (Full Construction Team) (PAS1192-2)		a	a
B5	Construction (Planning, Costing & Environmental) (4D, 5D, 6D)		a	a
B6	User, Operator, Maintainer Engagement (GSL) (7D)		a	a
B7	Employer Engagement (EIR, BIM Protocol, COBie)		a	a
B 8	BIM Procurement (PAS91, Framework & Project Contract)			a
B9	Structured Information Exchange & Validation (PAS1192-3)			a

Knowing where our suppliers are up to

how it fits with our own capability

How do we know where we are up to ?







10 Minute BIM ScoreCard

Authority: bim4info

BIM Index: 11

Completed on: 19/09/2013 By: Administrator

Group	Q	A	Question	0	1	2	3	4	5	6	7	8	9	
BIM Engagement	1	4	Senior Executives & Sponsors	-	Not wanted	Scene Americana	Awarenees Building	American Endedded	Team Sponeor	Department Sponeor	Organisation Champio	Regional Champion	National Champion	10 minute
	2	5	Commissioning Dept & Facilitators	-	Not wanted	Scene American	Awarenees Building	Americana Embadded	Preditioner	Mentoring practitione	Organisation Champio	Regional Champion	National Champion	On Line
	3	6	Procurement Department & Managera	**	Not wanted	Scene American	Awarenees Building	Americana Erstaddad	Preditioner	Mentoring practitions	Organisation Champio	Regional Champion	National Champion	
	4	5	Project Managers	**	Not wanted	Scene American	Awarenees Building	Americana Erstaddad	Prestitioner	Mentoring practitione	Organisation Champio	Regional Champion	National Champion	self assessmen
	5	4	Designers & Design Team	-	Not wanted	Scene American	Avences fulding	Americana Erstanlıları	Preditioner	Mentoring practitione	Organisation Champio	Regional Champion	National Champion	
	6	5	Facility/ Property/ Asset Managers	**	Not wanted	Scene American	Assesses Building	Asservess Entrolded	PredBoser	Mentoring practitione	Organisation Champio	Regional Champion	National Champion	
	7	4	Direct Works Organisation	-	Not wanted	Вогля Антигерена	Awarenees Building	Amereneas Embedded	Preditioner	Mentoring presidione	Organisation Champio	Regional Champion	National Champion	
	8	5	Capability & Training Group	***	Not wanted	Scene Americana	American building	Amerecenses Embedded	Preditioner	Mentoring practitione	feen Sponeor Champio	Regional Sponeor Char	Helional Sponeor Cham	
	9	6	Cost Consultants/Quantity Surveyors	**	Not wanted	Scene Americana	American Infiding	Americana Erstaddad	Preditioner	Mentoring practitions	Team Sponeor Champio	Regional Sponeor Char	Helional Sponeor Cham	
	10	7	Contractor(s)	**	Not wanted	tona faranasa	American Infiding	Americana Erstaddad	Preditioner	Hertoring practitions	Yeem Sponeor Chempic	Regional Sponeor Char	Hefional Sponeor Cham	
BIM Process & Methodology Development	11	6	Initiation & BIMTG Workshope (1-5)	**	Not wanted	HERO DIM Awarensee	Asset Litroyols Proce	Legal and Commercial	Technical and COBie	Government Soft Land	Training and Learning	Onward Team Briefings	Cascading Learning	
	12	5	RACI Mapping PID & Strategic Imp Plan	-	Not wanted	Pending	-	Draft complete for al	Published	Executive Stieled	Executive Sponeoring	Onward Briefinge	Actively Cascading	
	13	4	BIM Integration & Change Management	***	Not wanted	Pending	American tuliding	American Embedded	Preditioner	Mentoring practitione	feen Sponeor Champio	Regional Sponsor Char	Hefional Sponeor Cham	
	14	5	BIM Process Mapping, Gates & PLQ	**	Not wanted	Pending	American Indiating	Americana Erstaddad	Preditioner	Mentoring practitione	men Sponeor Champio	Regional Sponeor Char	Helional Sponeor Cham	
	15	6	Commercial, EIR & BIM Protocol		Not wanted	Pending	American tuliding	Americana Erstaddad	Preditioner	Mentoring practitions	Team Sponeor Champio	Regional Sponsor Char	Helional Sponeor Cham	
	16	8	PAS 1192, Information Exchangee & COBI	-	Not wanted	Peopleg	Arrent see building	Americana Erstanländ	Preditioner	Heatoning practitions	Yeem Sponeor Champio	Regional Sponsor Char	National Sponeor Cham	IN WALES


nt tool

IG

		17	8	Government Soft Landings Adoption	84	Not wanted	Panaling	Anaratana buliding	Annorma Entration	Preditioner	Mentoring practitions	Yeam Sponeor Champio	Hagloral Sponeor Char	National Sponsor Cham	
		18	9	BIM Training & Awareness Programme	88	Not wanted	Pending	Averations building	American Erikaldad	Preditioner	Mentoring practitions	Yearn Sponeor Champic	Augional Sponsor Chan	Helional Sponeor Cham	
		19	8	Visualisation Strategy	N X.	Not wanted	Parality	Awaranaa bulideg	Americana Erstadiad	Preditioner	Mentoring practitions	Yaam Sponaor Champis	Regional Sponsor Chan	National Sponeor Cham	
		20	6	BIM Library & Standarda	-	Not wanted		American building	Americana Embadded	Preditioner	Mentoring practitions	Team Sponeor Champio	Regional Sponeor Chan	National Sponsor Cham	
		21	4	Collaboration Strategy	**	Not wanted	Pending	American building	Americana Erskalded	Preditioner	Mentoring practitione	feen Sponeor Chempic	Regional Sponsor Chan	National Sponsor Cham	
		22	2	Other Related Initiatives og Leen	**	Not wanted	Panding	Awarenees building	Americana Erikaldad	Preditioner	Mentoring practitione	Teen Sponeor Champio	Regional Sponeor Chan	National Sponsor Cham	
		23	1	Modularisation & Prefabrication	**	Not wanted	Pending	Awarenees building	Americana Erstanlıkad	Preditioner	Mentoring practitione	Teen Sponeor Champio	Regional Sponeor Chan	National Sponeor Cham	
		24	2	Buildebility & Sustainability	-	Not wanted	Panding	Anaratasa bulideg	Antonione Entration	PredMoner	Mentoring practitione	Teem Sponeor Champio	Regional Sponeor Chan	National Sponsor Cham	
		25	4	In Use Performance Assessment	-	Not wanted	Pending	Awaranaa bulking	Americana Erstandard	PredMoner	Mentoring practitione	Teem Sponeor Champio	Regional Sponeor Chan	National Sponeor Cham	
		26	5	Supplier Engagement Strategy	-	Not wanted	Pending	Awaranaa bulkiing	Americana Erstandad	PredBorer	Mentoring practitione	Teem Sponeor Champio	Regional Sponeor Chan	National Sponsor Cham	
	BIM Impect on Business Gosla	27	6	Economic	N/A.	Name	Poor Easy	VeyLow	Low	Average	Alsons Assenge	Target real	Alaces Target	Exceptional	
		28	7	Programme	N/A.	Name	Poor Easy	VeyLow	Low	Average	Alicen America	Target roat	Allowe Target	Exceptional	
		29	7	Functional	-	Name	Poor Easy	VeyLow	Low	Annuage	Alicen America	Target real	Allowe Tanget	Exceptional	
		30	7	Social	N/A.	Hana	Poor Easy	VeyLow	Low	Annuage	Alicen America	Target real	Alaces Target	Exceptional	
		31	7	Environmental	N.	Name	Poor Easy	VeyLow	Low	Annuage	Alicen America	Target real	Allowe Target	Exceptional	
	BIM Evidence & Value Studies	32	6	Early Adopter Infrestructure Projects	-	Not wanted	Panding	Available but not aut	Available being colls	Data alwait published	Case Study pending	Full Case Study WP	Case Study(s) Publish	Value Decella Anala	
		33	6	Early Adopter Building Projects	-	Not wanted	Pending	Available but not aut	Available being colls	Data alwait published	Case Study pending	Full Case Study WP	Case Study(e) Publish	Value Decella Anala	
		34	5	Early Adopter Facility/Asset Managemen	-	Not wanted	Pending	Available but not aut	Available being colls	Data alwait published	Case Study pending	Full Case Study WP	Case Study(s) Publish	Value Decella Anala	
		35	5	Lessone Learned Case Studies	-	Not wanted	Peoling	Available but not aut	Available being colls	Data about published	Case Study pending	Full Case Study WP	Case Study(s) Publish	Value Decella Anala	
		36	4	BIM Cost & Carbon Value Savings	**	Not wanted	Pandha	Available but not aut	Available being colle	Data alient published	Case Study pending	Full Case Study WP	Case Study(s) Publish	Value Decella Anala	
		37	4	BIM User & Social Outcomee	**	Not wanted	Pandhag	Available but not aut	Available being colle	Data alcost published	Case Study pending	Full Case Study WP	Case Study(s) Publish	Value Decellin Aralia	RUCTING
76	Group	Q	A	Question	0	1	2	3	4	5	6	7	8	9	.ENCE




10 Minute BIM ScoreCard


















Level 3. A further set of 14 questions are attached – 'Questions for potential tier one suppliers'. They allow a more detailed interrogation of a supplier's ability by asking them to demonstrate progress in very specific areas. These questions are best used by Authorities who have developed some experience in procuring and using BIM on projects. They will certainly require knowledgeable people to analyse and mark the responses. They may also be asked of potential or existing suppliers outside a formal procurement activity.

Download questions here





Please demonstrate your progress with the following:

1. Adopting a discipline 3D BIM model authoring approach to your designs & schemes from an early stage to project handover?

2. Adopting a BS1192:2007 CDE collaborative approach across design and project team members from an early stage to project handover?

3. Adopting a federated 3D visualisation and aggregation approach to coordination and clash rendition from an early stage to project handover?

4. Adopting this federated visualised approach as a backdrop to design/client team meetings?

5. Creating and publishing of agreed open standard visualisation models to clients & stakeholders from an early stage to project handover?

6. Creating and publishing of agreed standards 2D drawings, plans and section cut from the 3D BIM models from an early stage to project handover?

Creating and publishing other documents and data in agreed electronic formats from an early stage to project handover?
 Producing a pre and post contract BIM Execution Plans (BEP) & Master Information Delivery Plans (MIDP) confirming tier 1
model production and other documents by agreed plan of work stage?

9. Responding to clients Employer's Information Requirements (EIR) in the production of both pre and post contract BEP and MIDP?

10. Creating and delivering COBie data to Clients EIR including Document Tab issued documents & files (COBie Issue Sheet)

- 11. Adoption of CIC BIM Protocol and appendix 1 & 2?
- 12. Adoption of PAS91:2013 Table 8 BIM questions?
- 13. Involvement of user/operator/maintainer in design development?

14. Adoption of Government Soft Landings (GSL) approach including early definition of post-operative performance (POE) outcome assessment standards?

Question	Description		
Note	The question set is optional. Scoring: INFORMATION ONLY		
Note	Exemption: The questions in this module need not be completed if your organisation holds a third party of compliance with BS EN PAS 1192:2:2013 from an organisation with a related UKAS accreditation, o		
Question	Description	Question Type	Mandatory
9-04- Q1	Are you claiming exemption?	Yes/No Value	No
9-04- Q1-1	If yes, please provide a copy of the certificate	Attachment	No
9-04- Q2	Do you have the capability of working with a project using a "Common Data Environment" as described in PAS 1192:2:2013?	Yes/No Value	No
9-04- Q2-1	You will be expected to demonstrate that your organisation understands the concept of a "Common Data Environment" as described in PAS 1192:2:2013 and is able to exchange information between supply chain members in an efficient and collaborative manner. If you have delivered a project in this way, you may use this to demonstrate your capability. Your explanation should be clear and concise. If 'yes', please provide details	Attachment	No
9-04- Q3	Do you have documented policy, systems and procedures to achieve "Level 2 BIM" maturity as defined in the government's BIM Strategy?	Yes/No Value	No
9-04- Q3-1	You will be expected to provide evidence that you or your organisation has a policy authorised by the Chief Executive or equivalent and regularly reviewed. The policy and procedures should be able to be applied to both large and small projects efficiently. If 'yes', please provide details	Attachment	No
9-04- Q4	Do you have the capability of developing and delivering or working to (depending up the role(s) that this PQQ covers) a BIM Execution Plan (BEP) as described in PAS 1192:2:2013?	Yes/No Value	No
9-04- Q4-1	You will be expected to demonstrate that your organisation understands the requirements of PAS 1192:2:2013, in particular with respect to BEP. This will include how to create reliable information and exchange it between supply chain members in an efficient and collaborative manner, and where appropriate, to the client, in the form specified (EG in accordance with the COBie UK 2012 standard and other typical client's information requirements). If you have delivered a project in this way, you may present an example BEP.	Attachment	No
9-04- Q5	Do you have arrangements for training employees in BIM related skills and do you assess their capabilities?	Yes/No Value	No
9-04- Q5-1	You will be expected to demonstrate that your organisation has in place training arrangements to ensure that its staff/workforce have sufficient skills and understanding to implement and deliver projects in accordance with the policy and procedures established to achieve "Level 2 BIM" maturity. Completed Construction Project Information Exchange (CPIx) templates referred to in the Project Implementation Plan (PIP), part of the BEP defined in PAS 1192:2 would be considered If this PQQ is for the first such project that you have considered undertaking, a training plan and evidence of how prior training outcomes in other areas have been assessed, would be considered.	Attachment	No

Tier one suppliers only For now.....

High Value framework Lots

Tier ones expected to (increasingly) use Q's 1 & / or 2 within their supply chain



Project type 1 Value sub £500k Scope – modest refurbishment and new extensions on school, first works since 2009

Project type 2 Value £450K new extension to 2013 new build school, with legacy model and Asset Information Model

Project type 3 Value £7m new build D&B public and emergency services mixed offices and blue light control station

Project 4 Responsive maintenance works – up to £25k

Project 4 Value £15m New build Highways Link road

Project 5 Term / planned maintenance contract – minor value

Project 7 £20m new build school,

What about in 2015

What about in 2016?



BIM

Supplier bidding approaches

Clarity and Evidence please

Maturity Assessment

Knowing (and showing) where you are

Practice, Policy, Training, and Experience

Policy and targets ?








BIM MATURITY MODEL UNDERPINS OUR COMMITMENT TO ACHIEVE LEVEL2 BY 2012

	Project A	Project B	Proiects C & D	Improvement / Development Plan 2011 / 2012
Award date	Nov 2010	Feb 2011	April 2011	
3D visualisation	×	✓	×	
Architectural model	×	~	~	
Structural model	✓	×	✓	
M&E model	×	×	~	
Clash detection	×	×	~	
FF&E	×	1	1	
File based collaboration and library management	× .	~	~	
Web accessible	×	×	×	
Thermal modelling	×	✓	1	
Light and shade	×	✓	×	
COBie	×	×	×	×
Acoustics	×	×	×	×
Smart meter monitoring	×	×	×	1
Energy consumption	×	×	×	√ *
Embedded carbon	×	×	×	×*

* not currently in BIM standards and migration











2009	2010	2011	2012	2013	2014	2015	2016	2017	
------	------	------	------	------	------	------	------	------	--

Level 3 / 4

2

Level

BIM Level Capability

ISG

Τ

Level

County Council

Early BIM Projects
3D Architectural Models
Client Presentations
3D Steel frames but no
opportunities to combine with
architectural models
Software and hardware restrictions
to manipulate and combine large
models.
Detailed construction models were
split down to be manageable





???? invested an internal BIM Steering Group which has centrally developed our BIM Implementation Strategy, including the Company BIM Procedure and BIM Execution Plan, and is championing the deployment of BIM across the business with members from all disciplines:





Current BIM Projects

- 3D Architectural Models
- Client Presentations
- 3D Structural models
- 3D M&E Models

•Software and hardware capability to manipulate and combine large models.

- Clash detection reporting and live editing possible
- 3D walk through at higher quality rendering
- Improving quantity measurements and constant updating of schedules with linked information.
- Agreed standards confirmed throughout the UK standards and trying to extend these through Europe
- Handover procedures agreed for clients to interrogate building components and ongoing maintenance strategies



•Future for BIM within ???? will be a continuous development and determined by the Steering Group and Regional BIM Champions.. BIM level 2 projects will continue across a broader section of projects and will ultimately used in all schemes.
•???? Steering Group will continue to develop BIM Operational Procedures and Project Execution Plans
•Current In house BIM Managers challenged to develop the models

from 3 and 4D to 5 and 6D by a large

procedures to other sectors across

the regions

retail client and will roll out successful

4

m

Level



2009 Enclosed 2010

2011

2012

2013 Consortium of Local Authorities in Video

2016 2





Process Functional Content Design BIM Protocol – Level (PROJECT NAME:- BUSNESS UNIT:- SECTOR:- DATE:-	of Delivery Agreement	100		Occurrent i Ouridance Apper	e (C) e
BIM Protocol – Level of PROJECT NAME:- BUSNESS UNIT:- SECTOR:-	of Delivery Agreement				
PROJECT NAME:- BUSNESS UNIT:- SECTOR:-	of Delivery Agreement			Apper	ndix
PROJECT NAME:- BUSNESS UNIT:- SECTOR:-	of Delivery Agreement			Apper	
BUSNESS UNIT:- SECTOR:-					
BUSNESS UNIT:- SECTOR:-		an or other			
SECTOR:-		10100	2 8 2 8		
			" PRODUCT OF		
		10000	District and	ing	
		2100.0 (Lance	2010 C	"This are a second as a second	
		al rest			1000000
designer's and contractor's det	alled scope of service with respect b				
BIM Modelling duties. The form	is to be utilised by Commercial,			21 1	
be read in conjunction with the	contract documentation and the Lak	10 (SEC			
A7	Protocol - Level of Delivery Overv				
			-		
		P PARK		1 1 1	
			e- 12		
			· 👔 🗄 🗄 🗄 🖞		
		1.00			
				22 -	Roome
		1.82		1 1 1 1	
			- 8		
		1			
	OWNER		SIGN OFF DATE	REVISION	
LOR BIM ENGINEER					
LOR COMMERCIAL MANAGER	j			1	
LOR DESIGN MANAGER					
ARCHITECT	ĺ			Ì	
STRUCTURAL ENGINEER					
MEP DESIGN	ĺ			i	
MEP CONTRACTOR	Í			i	
FIRE PROTECTION	ĺ				
CIVIL ENGINEER					
EXPLORE MANUFACTURING					
	Designer's and contractor's det BIM Modelling duties. The form Design and BiM management be read in conjunction with the O'Rourke (LOR) document 'BiN DESIGN LOR DIM ENGINEER LOR DEBIGN MANAGER ARCHITECT STRUCTURAL ENGINEER MEP DESIGN MEP CONTRACTOR FIRE PROTECTION CIVIL ENGINEER EXPLORE MANUFACTURING	BIM Modeling duties. The form is to be utilised by Commercial, Design and BIM management teams on each project. The form is to be read in conjunction with the contract documentation and the Laid O'Routke (LOR) document 'BIM Protocol – Level of Delivery Overvion Image: State of the contract documentation and the Laid O'Routke (LOR) document 'BIM Protocol – Level of Delivery Overvion Image: State of the contract documentation and the Laid O'Routke (LOR) document 'BIM Protocol – Level of Delivery Overvion Image: State of the contract documentation and the Laid O'Routke (LOR) document 'BIM Protocol – Level of Delivery Overvion Image: State of the contract documentation and the Laid O'Routke (LOR) document 'BIM Protocol – Level of Delivery Overvion Image: State of the contract documentation and the Laid O'Routke (LOR) document 'BIM Protocol – Level of Delivery Overvion Image: State of the contract documentation and the Laid O'Routke (LOR) document 'BIM Protocol – Level of Delivery Overvion Image: State of the contract documentation and the Laid O'Routke (LOR) Image: State of the contract documentation and the c	PARTY OWNER LOR DIM ENGINEER LOR COMMERCIAL MANAGER LOR DEBIGN MANAGER ARCHITECT STRUCTURAL ENGINEER MEP DEBIGN MEP CONTRACTOR FIRE PROTECTION Civil Engineer Civil Engineer Civil Engineer	designer's and contractor's detailed scope of service with respect to BMM Modeling duties. The form is to be utilised by Commercial be read in conjunction with the contract documentation and the Laing ORDurke (LOR) document 'BIM Protocol – Level of Delivery Overview Image: Comparison of the contract documentation and the Laing ORDurke (LOR) document 'BIM Protocol – Level of Delivery Overview Image: Comparison of the contract documentation and the Laing ORDurke (LOR) document 'BIM Protocol – Level of Delivery Overview Image: Comparison of the contract documentation and the Laing ORDurke (LOR) document 'BIM Protocol – Level of Delivery Overview Image: Comparison of the contract documentation and the Laing ORDurke (LOR) document 'BIM Protocol – Level of Delivery Overview Image: Comparison of the contract documentation and the Laing ORDurke (LOR) document 'BIM Protocol – Level of Delivery Overview Image: Comparison of the contract documentation and the Laing ORDurke (LOR) document 'BIM Protocol – Level of Delivery Overview Image: Comparison of the contract documentation and the Laing ORDurke (LOR) document 'BIM Protocol – Level of Delivery Overview Image: Comparison of the contract documentation and the contract documentation and the contract of the contract documentation and the contract of th	PARTY OWNER BION OFF DATE REVISION LOR BIM MERCIAL MANAGER COMMERCIAL MANAGER BION OFF DATE REVISION LOR COMMERCIAL MANAGER COMMERCIAL MANAGER BION OFF DATE REVISION ARCHITECT STRUCTURAL ENGINEER Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager COUNTRECTOR FIRE PROTECTION COUNTRECT Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager COUNTRECTOR FIRE PROTECTION COUNTRECT Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager COUNTRECTOR FIRE PROTECTION Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager COUNTRECT FIRE PROTECTION Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager MEP DEBIGN Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager MEP DEBIGN Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager MEP DEBIGN Image: Commercial Manager Image: Commercial Manager Image: Commercial Manager <td< td=""></td<>

Contractors BIM Process

Pre appointment BEP and assesment matrix



Guidance (G


Estate Information Visibility







Project Information Model







EIR and BEP - what is the difference ?

EIR – Employers Information Requirements

- Issued and formed by ClientDriven by probity, compliance and functionality
- •Clear declaration of intent and strategy
- •Rules
- •Standards
- •Expectations
- •Definitions
- Processes
- •Behaviours and Culture
- •End User and asset focussed

What if there are no EIR 's ?

CHAOS

Supplier Led solutions or better Integration ?

BEP – BIM Execution Plan

Developed with / by supply team Design, in house design, traditional or D&B contractor
Tactical – Project specific
Protocols
Definitions
Details
Details
Time Defined
Project and performance focussed
Influenced by EIR's





What sort of terms / Information / Things that we might define ?

Interactive excerise







EIR Subject Areas

Technical

Management

- Standards
- Planning the Work and Data Segregation
 ■
- Or Coordination and Clash Detection Process
- Health and Safety and Construction Design Management

Commercial

- Data drops and project deliverables
- Defined BIM/Project
 Deliverables
- BIM-specific competence assessment






Employers Information Requirements



Employer's Information Requirements Version 07 28.02.13

Core Content and Guidance Notes



Employer's Information Requirements - Guidance no

Tribula & JEND Million Tribelle R VET 4



Management by million, chief & carford management



BiM ____



In What (usable) Formats

If possible the preferred route is to adopt open standards based Information Exchanges before significant investment is made both in time, learning and systems

Visualisations: Discipline IFC (or NWD) models

Data: Federated COBie

Documents: PDF or Office


Drawings: PDF or DWG/DGN

Native Model Files: stored and used purely as reference; updated as part of a PAS55/PAS1192-3 managed review process by suitably skilled professionals.

Keep it simple: Public Authorities rarely have model authoring skills







Case Study








Llandysul School Employers Information Requirements (EIRs) Case Study







THE LLANDYSUL DESIGN PROCESS


















TRADITIONAL DATA TO FM










BIM DATA TO FM USING EIR'S










TECHNICAL REQUIREMENTS



- Software Platform
- Data Exchange Format
- Project Co-ordinates

- Autodesk Revit
- Revit, IFC, NWC, DWF, PDF & XMLS
- Location to Ordinance Survey Origin
- Rotation from True North
- Naming Convention Building
 - Blocks
 - Department
 - Rooms







DRAWING NAMING CONVENTION

E05107001-PDA-A-00-00-GA-(20)200-A

Project Specific Reference –	E05107001 – Ceredigion Individual Building Reference	Volume / Zone / Model –	00 - denotes that the model covers several zones.
Originator Code (Author) – Originator Discipline –	PDA – Powell Dobson Architects AEC – Aecom CAM – Cambria A – Architect	Level Drawing Type	Zones to be set by Aecom if required. 00 – Ground Floor 01 – First Floor 02 – Second Floor GA – General Arrangement
	M – Mechanical E – Electrical P – Plumbing S – Structures C – Contractor / Subcontractor	Drawing Number Revision	DT – Detail BC – Building Control (20)200 A and so forth







LEVEL OF DETAIL / DEVELOPMENT (LOD)

Survey Data	I. Topografi koal Grinery Datta Gtates Training Training Training Training Training Training D. Etter Into / Realmed Strictine Status Precing D. Ester Into / Realmed Strictine Status Precing D. Ester Into / Realmed Strictine Status Training D. Ester Into Walk & Crutani Walk Precing D. Etter Into Doors, Wilcober and Lotures D. Etter Into Doors, Wilcober and Lotures D. Etter Into Poors, Wilcober and Lotures D. Etter Into Poors D. Etter Into D. Etter Into D. Etter Into D. Etter Into	Current D Current D Current D Current 30D Current 250 Current	0 D Req lifed 300 Req lifed N/A Req lifed 100 Req lifed 400 Req lifed 400 Req lifed 300 Req lifed	50 Status 50 Status 50 Status 50 Status 51 Status 51 Status 51 Status	Status Key 00 hittal dent or NHP 11 Exted for co-ordination 22 Lizzet do information 23 Lizzet do information 24 Lizzet do information 25 Lizzet do information 26 Lizzet do information 27 Lizzet do inmain the lizzet information 28 Lizzet do inmain the lizzet information 29 Lizzet do information 20 Lizzet do information 21 Lizzet do information 22 Lizzet do information 23 Lizzet do information 24 Lizzet do information 25 Lizzet do information 26 Lizzet do information 27 Lizzet do information 28 Lizzet do informatindizet n/ proceinmentint <th></th>		
Architectural Data	Feeding DE. Roof Coverlage & Opening & Framing Feeding Feeding De. Institution to -Incad Dearing Walls & Partitions Peeding OF . Institution to Doors Feeding OF . Institution TPEF Ittings OF . Opening De . Stating De . Stating	350 Current 250 Current 300 Current 350 Current 350 Current 0 Current	400 Required 300 Required 300 Required 300 Required 300 Required 300 Required	51 Status 51 Status 51 Status 51 Status 51 Status 51	LOD Key (Level of Development) LOD 100 The is a clair LOD 200 There is a clair to 200 There is a clair to 200 There is a clair that are not and space requirements of solor 500 There is a clair with arm est band weets LOD 500 There is a clair with arm est band weets LOD 500 There is a clair with arm est band weets LOD 500 There is a clair with arm est band weets LOD 500 There is a clair with arm est band weets LOD 500 There is a clair with arm est band weets LOD 500 There is a clair with arm est band weets LOD 500 There is a clair with a clair we period.	 C 1020-14 BJJ Morel upshate to mitted and nove made: A B magnificing to 11 of and novel made up and novel made up and novel made up and one of the state of the s	
	Peding 0. Celling Peding 1. Strictical Composets (bp progress design only) Peding 2. Hilderwork Peding 1. Sociedies Peding 1. C. statifier Peding P	250 Current 0 Current 0 Current 0 Current 350 Current	300 Required 300 Required 300 Required 300 Required 400 Required	51 Status 51 Status 51 Status 51 Status 51 Status			
	Peroling 15. Analysis Model Peroling 16.00 Dispute Peroling 17. 18. 18.	0 Cerreat 0 Cerreat	300 Required 300 Required 400 Required Required	51 States 51 States	The fit has been projected and provide the Forest basen Lit up to the det identified in the A-M wall about Lits and provide the forest basen during the the property of the det overdands and estimated in. It is consider that the the property of the det overdands and estimated in. The is consider and the det of the property of the det overdands and estimated in the two overlap and the det overdand is the det overdand and the det overdand and and the det overdand and the det overdand and the det overdand and the det overdand and the det overdand and the det of hereinspace for basis provided in the det of basis overdand in the det of hereinspace for basis provided in the det of basis overdand in the det of hereinspace for basis provided in the det of basis overdand in the det of the hereinspace for basis provided in the det of basis overdand in the det of the hereinspace for basis provided in the det of basis overdand in the det of the hereinspace for the distance of the det over basis of the det of the det of the det overdand in the det of basis overdand in the det of the det of the det of the det overdand in the det of basis overdand in the det of the det of the det of the det of the det of the det overdand in the det of the det overdand the det of the det o	Project Namber 02859 Project Namber Llandyr 11 3-19 Sciool Project Address Awei-Y-Bryn, Llandyr 11	
	19. 20. 21.	Cerreat	Req ired Req ired Req ired	States	Modelpoint have a sciencific allocities of Model Units and be at their some in a net without halling to read bolonic 11.5 on the finant science prime to the science of the	powelldobsor	

- LOD 100 Placeholder
- LOD 200 Basic Geometry
- LOD 300 Detailed Geometry
- LOD 400 Actual Geometry & Description
- LOD 500 As above with detailed embedded information i.e. Manufacturer, Warrantee period, date purchased.







BIM to CIPFA Asset Manager



BIM Room Data (300 rooms)



	/ nooning rong congen	/ nooning roug cocal_noonin	/	/	/100110/10011_000
15.1 m ²	Null	Null	0/001	Circulation	Education
5.3 m²	Null	Null	0/002	Toilets	Education
24.0 m ²	Null	Null	0/003	Learning Resource Areas	Education
75.0 m²	Null	Null	0/004	Basic Teaching	Education
75.0 m²	Null	Null	0/005	Basic Teaching	Education
5.5 m ²	Null	Null	0/006	Storage - teaching	Education
5.5 m ²	Null	Null	0/007	Toilets	Education
11.5 m²	Null	Null	0/008	Toilets	Education
3.8 m ²	Null	Null	0/009	Toilets	Education
9.6 m²	Null	Null	0/010	Catering Facilities	Education
78.0 m²	Null	Null	0/011	Basic Teaching	Education
22.6 m²	Null	Null	0/012	Toilets	Education
56.8 m²	Null	Null	0/013	Basic Teaching	Education
23.0 m²	Null	Null	0/014	Toilets	Education
57.2 m ²	Null	Null	0/015	Basic Teaching	Education
57.2 m²	Null	Null	0/016	Basic Teaching	Education
23.0 m²	Null	Null	0/017	Toilets	Education
57.0 m²	Null	Null	0/018	Basic Teaching	Education
57.0 m²	Null	Null	0/019	Basic Teaching	Education
23.0 m ²	Null	Null	0/020	Toilets	Education
57.2 m²	Null	Null	0/021	Basic Teaching	Education
57.2 m²	Null	Null	0/022	Basic Teaching	Education
23.0 m²	Null	Null	0/023	Toilets	Education
56.8 m²	Null	Null	0/024	Basic Teaching	Education
2.2 m ²	Null	Null	0/025	Circulation	Education
20.8 m ²	Null	Null	0/026	Toilets	Education
2.1 m ²	Null	Null	0/027	Toilets	Education
5.0 m ²	Null	Null	0/028	Toilets	Education
1.6 m ²	Null	Null	0/029	Circulation	Education
20.7 m ²	Null	Null	0/030	Toilets	Education
2.3 m²	Null	Null	0/031	Toilets	Education
2.2 m ²	Null	Null	0/032	Circulation	Education
7.5 m²	Null	Null	0/033	Storage - teaching	Education
1.1 m²	Null	Null	0/034	Plant	Education
1.4 m²	Null	Null	0/035	Plant	Education

/Rooms/row/Internal_Area /Rooms/row/Length /Rooms/row/Local_Room /Rooms/row/Room_Ref /Rooms/row/Room_Type /Rooms/row/Room_Use

Asset Manager Core Data (60 fields x 300 rooms = 18,000 cells automatically filled)





WHERE TO START?

- What FM / AM Systems do I currently have in place?
- What data does this system use?
- How can this benefit from BIM data short term?
- How can this system be developed in the future?
- How do I track changes to a building?
- Think Evolution Not Overnight Change
- CLAW Toolkit









CLAW ALL Wales

BIM Toolkit

BIM – All Wales BIM Toolkit Developed for CLAW members.....

PAS 1192 -2 compliant

CIC compliant

OJEU compliant – new EU BIM procurement directive

SME friendly

Future proof and fit for PAS 55 and PAS 1192 - 3









